PAIN® 146 (2009) 327–330

PAIN®

www.elsevier.com/locate/pain

Author Index to Volume 146 (2009)

Ahn, D.K., Lee, S.Y., Han, S.R., Ju, J.S., Yang, G.Y., Lee, M.K., Youn, D.H., Bae, Y.C. Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146** 114
Akopian, A.N., see Jeske, N.A., **146** 301
Amanzio, M., Corazzini, L.L., Vase, L., Benedetti, F. A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146** 261
Amtmann, D., see Revicki, D.A., **146** 158
Andrade-Gordon, P., see Martin, L., **146** 121
Aoki, T., see Nagakura, Y., **146** 26
Arsenault, A., Sawynok, J. Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury, **146** 308
Asfaha, S., see Martin, L., **146** 121
Augé, C., see Martin, L., **146** 121

Backonja, M.-M., see Rowbotham, M.C., **146** 245
Bae, Y.C., see Ahn, D.K., **146** 114
Ballas, S.K., see Smith, W.R., **146** 91
Barbash, S., see Ziv-Sefer, S., **146** 148
Baron, R., Tölle, T.R., Gockel, U., Brosz, M., Freynhagen, R. A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146** 34
Barrio, L.d., see Egea, J., **146** 75
Bartolini, A., see Norcini, M., **146** 141
Barton, B.A., see Smith, W.R., **146** 91
Bauserman, R.L., see Smith, W.R., **146** 91
Benedetti, F., see Amanzio, M., **146** 261
Bennett, R.M., see Chappell, A.S., **146** 253
Berkley, K.J. Balancing nociception in cycling females, **146** 9
Bernard, J.-F., see Gau, R., **146** 315
Bianchi, E., see Norcini, M., **146** 141
Bielefeldt, K., Levinthal, D. Pieces of a puzzle: Permeability, proinflammatory pathways and pain?, **146** 7
Boué, J., see Martin, L., **146** 121
Brosz, M., see Baron, R., **146** 34
Bruehl, S., see Burns, J.W., **146** 276
Bruehl, S.P., see Williams, S.E., **146** 283
Buresi, M.C., see Martin, L., **146** 121
Burke, L.B., see Dworkin, R.H., **146** 238
Burns, J.W., Bruehl, S., Chung, O.Y., Magid, E., Chont, M., Goodlad, J.K., Gilliam, W., Matsuura, J., Somar, K. Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146** 276
Busch, V., see Jürgens, T.P., **146** 84
Bussone, G., see Jürgens, T.P., **146** 84

Callahan, L.F., see Revicki, D.A., **146** 158
Cantarella, A., see Slater, R., **146** 177
Carlton, S.M. Peripheral NMDA receptors revisited – Hope floats, **146** 1
Cenac, N., see Martin, L., **146** 121
Chabot, J.-G., see Hong, Y., **146** 105
Chapman, K., see Martin, L., **146** 121
Chappell, A.S., Ossanna, M.J., Liu-Seifert, H., Iyengar, S., Skljarevski, V., Li, L.C., Bennett, R.M., Collins, H. Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial, **146** 253
Chen, W.-H., see Revicki, D.A., **146** 158
Cheng, L.-Z., see Li, T.-T., **146** 183
Chiu, C.-h, see Zhang, Y.-Q., **146** 130
Chont, M., see Burns, J.W., **146** 276
Chung, O.Y., see Burns, J.W., **146** 276
Cicero, T.J., Wong, G., Tian, Y., Lynskey, M., Todorov, A., Isenberg, K. A response to McQuay and Moore editorial "Opioids in non-cancer pain – A critical read of Cicero et al.", **146** 325
Claeys, O., see Vervoort, T., **146** 170
Clarke, J., see Vervoort, T., **146** 170
Collins, H., see Chappell, A.S., **146** 253
Cook, K.F., see Revicki, D.A., **146** 158
Coolen, L.M., see Zhang, Y.-Q., **146** 130
Coolen, L.M., Wenthold, R.J., Zhao, Z.-Q., Jing, N., Yu, L.Zhang, Y.-Q., Guo, N., Peng, G., Han, M., Raincrow, J., Chiu, C., Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146** 130
Corazzini, L.L., see Amanzio, M., **146** 261
Cowan, P., see Dworkin, R.H., **146** 238
Crombez, G., see Vervoort, T., **146** 170
Crombez, G., see Vlaeyen, J.W.S., **146** 222
Cruccu, G., Truini, A. Sensory profiles: A new strategy for selecting patients in treatment trials for neuropathic pain, **146** 5
Cuadrado, A., see Egea, J., **146** 75

Davies, A.J., North, R.A. Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146** 214
Dean, C., see Gemes, G., **146** 293
Devor, M., see Ziv-Sefer, S., **146** 148
Dietrich, G., see Martin, L., **146** 121
Drummond, P.D., see Finch, P.M., **146** 18
Duan, W.R., see Rowbotham, M.C., **146** 245
Dworkin, R.H., Turk, D.C., McDermott, M.P., Peirce-Sandner, S., Burke, L.B., Cowan, P., Farrar, J.T., Hertz, S., Raja, S.N., Rappaport, B.A., Rauschkolb, C., Sampaio, C. Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146** 238

Eccleston, C., see Vervoort, T., **146** 170
Eccleston, C., see Palermo, T.M., **146** 15
Egea, J., Rosa, A.O., Lorrio, S., Barrio, L.d., Cuadrado, A., López, M.G. Haeme oxygenase-1 overexpression via nAChRs and the

doi:10.1016/S0304-3959(09)00601-0

transcription factor Nrf2 has antinociceptive effects in the formalin test, **146** 75
El-Deredy, W., see Morton, D.L., **146** 194

Farrar, J.T., see Dworkin, R.H., **146** 238
Finch, P.M., Knudsen, L., Drummond, P.D. Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146** 18
Fitzgerald, M., see Slater, R., **146** 177
Fournier, A., see Hong, Y., **146** 105
Freynhagen, R., see Baron, R., **146** 34

Galeotti, N., see Norcini, M., **146** 141
Gau, R., Sévoz-Couche, C., Laguzzi, R., Hamon, M., Bernard, J.-F. Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146** 315
Gemes, G., Rigaud, M., Dean, C., Hopp, F.A., Hogan, Q.H., Seagard, J. Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146** 293
Ghelardini, C., see Norcini, M., **146** 141
Gigante, J., see Williams, S.E., **146** 283
Gilliam, W., see Burns, J.W., **146** 276
Gockel, U., see Baron, R., **146** 34
Goodlad, J.K., see Burns, J.W., **146** 276
Goubert, L., see Vervoort, T., **146** 170
Guénot, M., see Mazzola, L., **146** 99
Guo, N., see Zhang, Y.-Q., **146** 130

Hamon, M., see Gau, R., **146** 315
Han, M., see Zhang, Y.-Q., **146** 130
Han, S.R., see Ahn, D.K., **146** 114
Harnam, N., see Revicki, D.A., **146** 158
Heckman, B.D., Holroyd, K.A., Himawan, L., O'Donnell, F.J., Tietjen, G., Utley, C., Stillman, M. Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146** 56
Henry, M.A., see Jeske, N.A., **146** 301
Hertz, S., see Dworkin, R.H., **146** 238
Himawan, L., see Heckman, B.D., **146** 56
Hogan, Q.H., see Gemes, G., **146** 293
Holroyd, K.A., see Heckman, B.D., **146** 56
Hong, Y., Liu, Y., Chabot, J.-G., Fournier, A., Quirion, R. Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146** 105
Hopp, F.A., see Gemes, G., **146** 293

Isenberg, K., see Cicero, T.J., **146** 325
Isnard, J., see Mazzola, L., **146** 99
Iyengar, S., see Chappell, A.S., **146** 253

Jensen, M.P. Hypnosis for chronic pain management: A new hope, **146** 235
Jensen, M.P., see Revicki, D.A., **146** 158
Jeske, N.A., Patwardhan, A.M., Ruparel, N.B., Akopian, A.N., Shapiro, M.S., Henry, M.A. A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146** 301
Jing, N., see Zhang, Y.-Q., **146** 130
Jones, A.K.P., see Morton, D.L., **146** 194
Ju, J.S., see Ahn, D.K., **146** 114

Keefe, F.J., see Revicki, D.A., **146** 158
Knecht, S., see Ruscheweyh, R., **146** 65
Knudsen, L., see Finch, P.M., **146** 18

Laguzzi, R., see Gau, R., **146** 315
Lee, M.K., see Ahn, D.K., **146** 114
Lee, S.Y., see Ahn, D.K., **146** 114
Leone, M., see Jürgens, T.P., **146** 84
Leone, M., Proietti-Cecchini, A., Busch, V., Mea, E., Bussone, G., May, A.Jürgens, T.P., Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache, **146** 84
Levinthal, D., see Bielefeldt, K., **146** 7
Lewandowski, A., see Palermo, T.M., **146** 205
Li, L.C., see Chappell, A.S., **146** 253
Li, T.-T., Ren, W.-H., Xiao, X., Nan, J., Cheng, L.-Z., Zhang, X.-H., Zhao, Z.-Q., Zhang, Y.-Q. NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146** 183
Linton, S.J., see Vlaeyen, J.W.S., **146** 222
Liu-Seifert, H., see Chappell, A.S., **146** 253
Liu, Y., see Hong, Y., **146** 105
López, M.G., see Egea, J., **146** 75
Lorrio, S., see Egea, J., **146** 75
Lötsch, J., see Walter, C., **146** 270
Lynskey, M., see Cicero, T.J., **146** 325

Magid, E., see Burns, J.W., **146** 276
Marchand, S., see Tousignant-Laflamme, Y., **146** 47
Marinus, J., see Munts, A.G., **146** 199
Martin, L., Augé, C., Boué, J., Buresi, M.C., Chapman, K., Asfaha, S., Andrade-Gordon, P., Steinhoff, M., Cenac, N., Dietrich, G., Vergnolle, N. Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146** 121
Marziniak, M., see Ruscheweyh, R., **146** 65
Matsuoka, N., see Nagakura, Y., **146** 26
Matsuura, J., see Burns, J.W., **146** 276
Mauguière, F., see Mazzola, L., **146** 99
May, A., see Jürgens, T.P., **146** 84
Mazzola, L., Isnard, J., Peyron, R., Guénot, M., Mauguière, F. Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146** 99
McCarthy, W.F., see Smith, W.R., **146** 91
McDermott, M.P., see Dworkin, R.H., **146** 238
McQuay, H., Moore, R. A. Response to Cicero et al., **146** 326
Mea, E., see Jürgens, T.P., **146** 84
Meek, J., see Slater, R., **146** 177
Mogil, J.S. Are we getting anywhere in human pain genetics?, **146** 231
Moore, R. A., see McQuay, H., **146** 326
Morton, D.L., Watson, A., El-Deredy, W., Jones, A.K.P. Reproducibility of placebo analgesia: Effect of dispositional optimism, **146** 194
Munts, A.G., van der Plas, A.A., Voormolen, J.H., Marinus, J., Teepe-Twiss, I.M., Onkenhout, W., van Gerven, J.M., van Hilten, J.J. Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146** 199
Murinson, B.B., Yarnitsky, D. Psychophysical studies of imagined stimuli: Testing the limits of self-knowledge, **146** 13

Nagakura, Y., Oe, T., Aoki, T., Matsuoka, N. Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146** 26
Nan, J., see Li, T.-T., **146** 183
Nicholas Verne, G., see Zhou, Q., **146** 41
Norcini, M., Vivoli, E., Galeotti, N., Bianchi, E., Bartolini, A., Ghelardini, C. Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146** 141
North, R.A., see Davies, A.J., **146** 214
Nothaft, W., see Rowbotham, M.C., **146** 245

Oe, T., see Nagakura, Y., **146** 26
Onkenhout, W., see Munts, A.G., **146** 199
O'Donnell, F.J., see Heckman, B.D., **146** 56
Ossanna, M.J., see Chappell, A.S., **146** 253

Palermo, T.M., Eccleston, C. Parents of children and adolescents with chronic pain, **146** 15
Palermo, T.M., Wilson, A.C., Peters, M., Lewandowski, A., Somhegyi, H. Randomized controlled trial of an Internet-delivered family

cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146** 205
Patten, D., see Slater, R., **146** 177
Patwardhan, A.M., see Jeske, N.A., **146** 301
Peirce-Sandner, S., see Dworkin, R.H., **146** 238
Peng, G., see Zhang, Y.-Q., **146** 130
Penzien, D.B., see Smitherman, T.A., **146** 11
Perrot, S. Should we switch from analgesics to the concept of "Pain Modifying Analgesic Drugs (PMADs)" in osteoarthritis and rheumatic chronic pain conditions?, **146** 229
Peters, M., see Palermo, T.M., **146** 205
Peyron, R., see Mazzola, L., **146** 99
Potts, H., see Slater, R., **146** 177
Proietti-Cecchini, A., see Jürgens, T.P., **146** 84

Quirion, R., see Hong, Y., **146** 105

Raber, P., see Ziv-Sefer, S., **146** 148
Raincrow, J., see Zhang, Y.-Q., **146** 130
Raja, S.N., see Dworkin, R.H., **146** 238
Rappaport, B.A., see Dworkin, R.H., **146** 238
Rauschkolb, C., see Dworkin, R.H., **146** 238
Reinholz, J., see Ruscheweyh, R., **146** 65
Ren, W.-H., see Li, T.-T., **146** 183
Revicki, D.A., Chen, W.-H., Harnam, N., Cook, K.F., Amtmann, D., Callahan, L.F., Jensen, M.P., Keefe, F.J. Development and psychometric analysis of the PROMIS pain behavior item bank, **146** 158
Rhudy, J.L. The importance of emotional processes in the modulation of pain, **146** 233
Rigaud, M., see Gemes, G., **146** 293
Rosa, A.O., see Egea, J., **146** 75
Rowbotham, M.C. The case for publishing 'negative' clinical trials, **146** 225
Rowbotham, M.C., Duan, W.R., Thomas, J., Nothaft, W., Backonja, M.-M. A randomized, double-blind, placebo-controlled trial evaluating the efficacy and safety of ABT-594 in patients with diabetic peripheral neuropathic pain, **146** 245
Ruparel, N.B., see Jeske, N.A., **146** 301
Ruscheweyh, R., Marziniak, M., Stumpenhorst, F., Reinholz, J., Knecht, S. Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire, **146** 65

Sampaio, C., see Dworkin, R.H., **146** 238
Sawynok, J., see Arsenault, A., **146** 308
Seagard, J., see Gemes, G., **146** 293
Sévoz-Couche, C., see Gau, R., **146** 315
Shapiro, M.S., see Jeske, N.A., **146** 301
Sindrup, S.H. Nicotinic acetylcholine receptor agonism: Progress in the management of neuropathic pain?, **146** 227
Skljarevski, V., see Chappell, A.S., **146** 253
Slater, R., Cantarella, A., Yoxen, J., Patten, D., Potts, H., Meek, J., Fitzgerald, M. Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age, **146** 177
Sluka, K.A. Is it possible to develop an animal model of fibromyalgia?, **146** 3
Smith, C.A., see Williams, S.E., **146** 283
Smith, W.R., Bauserman, R.L., Ballas, S.K., McCarthy, W.F., Steinberg, M.H., Swerdlow, P.S., Waclawiw, M.A., Barton, B.A., The Investigators of the Multicenter Study of Hydroxyurea, Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146** 91
Smitherman, T.A., Penzien, D.B. Were we wrong about the role of psychiatric comorbidities in primary headache?, **146** 11
Somar, K., see Burns, J.W., **146** 276
Somhegyi, H., see Palermo, T.M., **146** 205
Steinberg, M.H., see Smith, W.R., **146** 91
Steinhoff, M., see Martin, L., **146** 121
Stillman, M., see Heckman, B.D., **146** 56
Stumpenhorst, F., see Ruscheweyh, R., **146** 65
Sullivan, M.J.L., see Wideman, T.H., **146** 222
Swerdlow, P.S., see Smith, W.R., **146** 91

Teepe-Twiss, I.M., see Munts, A.G., **146** 199
The Investigators of the Multicenter Study of Hydroxyurea in sickle cell anemia, see Smith, W.R., **146** 91
Thomas, J., see Rowbotham, M.C., **146** 245
Tian, Y., see Cicero, T.J., **146** 325
Tietjen, G., see Heckman, B.D., **146** 56
Todorov, A., see Cicero, T.J., **146** 325
Tölle, T.R., see Baron, R., **146** 34
Tousignant-Laflamme, Y., Marchand, S. Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146** 47
Truini, A., see Cruccu, G., **146** 5
Turk, D.C., see Dworkin, R.H., **146** 238

Utley, C., see Heckman, B.D., **146** 56

van der Plas, A.A., see Munts, A.G., **146** 199
van Gerven, J.M., see Munts, A.G., **146** 199
van Hilten, J.J., see Munts, A.G., **146** 199
Vandenhende, M., see Vervoort, T., **146** 170
Vase, L., see Amanzio, M., **146** 261
Vergnolle, N., see Martin, L., **146** 121
Vervoort, T., Goubert, L., Eccleston, C., Vandenhende, M., Claeys, O., Clarke, J., Crombez, G. Expressive dimensions of pain catastrophizing: An observational study in adolescents with chronic pain, **146** 170
Vivoli, E., see Norcini, M., **146** 141
Vlaeyen, J.W.S., Crombez, G., Linton, S.J.Wideman, T.H., Sullivan, M.J.L. The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain" [Pain, 2009] and Nicholas "First things first: reduction in catastrophizing before fear of movement" [Pain, 2009], **146** 222
Voormolen, J.H., see Munts, A.G., **146** 199

Waclawiw, M.A., see Smith, W.R., **146** 91
Walker, L.S., see Williams, S.E., **146** 283
Walter, C., Lötsch, J. Meta-analysis of the relevance of the *OPRM1* 118A>G genetic variant for pain treatment, **146** 270
Watson, A., see Morton, D.L., **146** 194
Wenthold, R.J., see Zhang, Y.-Q., **146** 130
Vlaeyen, J.W.S., Crombez, G., Linton, S.J.Wideman, T.H., Sullivan, M.J.L. Wideman and Sullivan Response to Letter to Editor by Vlaeyen et al., **146** 222
Williams, S.E., Smith, C.A., Bruehl, S.P., Gigante, J., Walker, L.S. Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146** 283
Wilson, A.C., see Palermo, T.M., **146** 205
Wong, G., see Cicero, T.J., **146** 325

Xiao, X., see Li, T.-T., **146** 183
Yang, G.Y., see Ahn, D.K., **146** 114

Yarnitsky, D., see Murinson, B.B., **146** 13
Youn, D.H., see Ahn, D.K., **146** 114
Yoxen, J., see Slater, R., **146** 177
Yu, L., see Zhang, Y.-Q., **146** 130

Zhang, B., see Zhou, Q., **146** 41
Zhang, X.-H., see Li, T.-T., **146** 183

Zhang, Y.-Q., see Li, T.-T., **146** 183
Zhao, Z.-Q., see Li, T.-T., **146** 183
Zhao, Z.-Q., see Zhang, Y.-Q., **146** 130
Zhou, Q., Zhang, B., Nicholas Verne, G. Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome, **146** 41
Ziv-Sefer, S., Raber, P., Barbash, S., Devor, M. Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146** 148

PAIN® 146 (2009) 331–335

PAIN®

www.elsevier.com/locate/pain

Subject Index to Volume 146 (2009)

Abt-594
A randomized, double-blind, placebo-controlled trial evaluating the efficacy and safety of ABT-594 in patients with diabetic peripheral neuropathic pain, **146**, 245
Acute pain
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146**, 276
Adolescents
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Adrenomedullin (AM)
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146**, 105
Adverse events
A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146**, 261
AKAP
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
Allodynia
Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146**, 18
Allodynia
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Amitriptyline
Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury, **146**, 308
Analgesia
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Anger
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146**, 276
Animal model
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
Animal pain model
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Anterior cingulate cortex
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
Anxiety
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
Autotomy
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Baroreceptor reflex
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293
Behaviour
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
Biogenic amine
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Biopsychosocial
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
c-Fos
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Calcitonin gene-related peptide (CGRP)
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146**, 105
Catastrophizing
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
Children
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Children
Parents of children and adolescents with chronic pain, **146**, 15
Children
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Chronic abdominal pain
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
Chronic constriction injury
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Chronic pain
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Circulatory control
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293

doi:10.1016/S0304-3959(09)00602-2

Climate
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91
Clinical importance
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Clinical meaningfulness
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Clinical trials
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Cluster headache, Thermal threshold
Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache, **146**, 84
Cognitive–behavioral therapy
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Communicative pain behaviour
Expressive dimensions of pain catastrophizing: An observational study in adolescents with chronic pain, **146**, 170
Complete Freund's adjuvant (CFA)
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146**, 105
Complex regional pain syndrome
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Complex regional pain syndrome
Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146**, 18
Deep-brain stimulation
Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache, **146**, 84
Demyelination
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
Depression
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
Development
Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age, **146**, 177
Diabetic peripheral neuropathic pain
A randomized, double-blind, placebo-controlled trial evaluating the efficacy and safety of ABT-594 in patients with diabetic peripheral neuropathic pain, **146**, 245
Dispositional optimism
Reproducibility of placebo analgesia: Effect of dispositional optimism, **146**, 194
DNIC
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146**, 47
Dorsal horn
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146**, 214
Dorsal horn
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Dorsal root ganglion (DRG)
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146**, 105
Duloxetine
Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial, **146**, 253
Dystonia
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Effect size
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Electrical stimulations
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146**, 99
Endogenous opioids
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146**, 276
Enkephalin
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Epibatidine
Haeme oxygenase-1 overexpression via nAChRs and the transcription factor Nrf2 has antinociceptive effects in the formalin test, **146**, 75
Epidemiology
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Experimental pain measurement
Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire, **146**, 65
Facial expression
Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age, **146**, 177
Fibromyalgia
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Formalin-induced conditioned place avoidance (F-CPA)
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
Fos
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
Functional Bowel Disorder Severity Index (FBDSI)
Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome, **146**, 41
Geography
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91
Glycine
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Group differences
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Haeme oxygenase-1
Haeme oxygenase-1 overexpression via nAChRs and the transcription factor Nrf2 has antinociceptive effects in the formalin test, **146**, 75
Harassment
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146**, 276
Headache disorders
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
Heart rate
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315

Heart rate variability
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293
Hemilateral hyperalgesia
Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146**, 18
Hydroxyurea
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91
Hyperalgesia
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
Hyperalgesia
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293
Hyperalgesia
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
Hyperalgesia
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Inflammation
Haeme oxygenase-1 overexpression via nAChRs and the transcription factor Nrf2 has antinociceptive effects in the formalin test, **146**, 75
Inflammation
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Insula
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146**, 99
Internet
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Intestinal membrane permeability
Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome, **146**, 41
Intrathecal
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Intrathecal
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Irritable bowel syndrome (IBS)
Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome, **146**, 41
Item banks
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Item response theory analysis
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Kinase
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
Longitudinal
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
LPA receptor
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
Medically unexplained symptoms
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
Meta-analysis
Meta-analysis of the relevance of the *OPRM1* 118A>G genetic variant for pain treatment, **146**, 270
Migraine
A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146**, 261
Muscle pain
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Neonate (newborn)
Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age, **146**, 177
Nerve injury
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293
Nerve injury
Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury, **146**, 308
Nerve injury
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Neuronal nicotinic acetylcholine receptor (NNR)
A randomized, double-blind, placebo-controlled trial evaluating the efficacy and safety of ABT-594 in patients with diabetic peripheral neuropathic pain, **146**, 245
Neuropathic pain
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Neuropathic pain
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury, **146**, 293
Neuropathic pain
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Neuropathic pain
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Neuropathic pain
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
Neuropathic pain
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
NMDA receptors
Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146**, 18
Nocebo
A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146**, 261
Noradrenaline
Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury, **146**, 308
NR1
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
NR2A
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
NR2B
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183

Opioid blockade
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain, **146**, 276
Opioid receptors
Meta-analysis of the relevance of the *OPRM1* 118A>G genetic variant for pain treatment, **146**, 270
Opioids
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Osteoarthritis
Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial, **146**, 253
P2X receptors
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146**, 214
Pain
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
Pain
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91
Pain
Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial, **146**, 253
Pain
Haeme oxygenase-1 overexpression via nAChRs and the transcription factor Nrf2 has antinociceptive effects in the formalin test, **146**, 75
Pain
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Pain
Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age, **146**, 177
Pain
Parents of children and adolescents with chronic pain, **146**, 15
Pain
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Pain
Reproducibility of placebo analgesia: Effect of dispositional optimism, **146**, 194
Pain
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146**, 99
Pain
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Pain affect
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
Pain behavior
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Pain catastrophizing
Expressive dimensions of pain catastrophizing: An observational study in adolescents with chronic pain, **146**, 170
Pain genetics
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Pain modulation
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146**, 47
Pain perception
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146**, 47
Pain ratings
Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire, **146**, 65
Pain sensitivity
Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire, **146**, 65
Pain thresholds
Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire, **146**, 65
Pain-related protective behaviour
Expressive dimensions of pain catastrophizing: An observational study in adolescents with chronic pain, **146**, 170
pain*DETECT*
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Parenting
Parents of children and adolescents with chronic pain, **146**, 15
Parents
Parents of children and adolescents with chronic pain, **146**, 15
Patient satisfaction
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
Patient-Reported Outcomes
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Pharmacogenetics
Meta-analysis of the relevance of the *OPRM1* 118A>G genetic variant for pain treatment, **146**, 270
Phosphorylation
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
PKC
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
PKC
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat, **146**, 141
Placebo
A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146**, 261
Placebo
Reproducibility of placebo analgesia: Effect of dispositional optimism, **146**, 194
Posterior hypothalamus
Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache, **146**, 84
Preventive analgesia
Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury, **146**, 308
Protease-activated receptors
Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways, **146**, 121
Psychiatric disorders
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
Psychometric analysis
Development and psychometric analysis of the PROMIS pain behavior item bank, **146**, 158
Quantitatie sensory testing?
Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache, **146**, 84

Questionnaires
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Randomized clinical trials
A systematic review of adverse events in placebo groups of anti-migraine clinical trials, **146**, 261
Randomized clinical trials
Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations, **146**, 238
Randomized controlled trial
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain, **146**, 205
Raphe magnus
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Rat
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats, **146**, 183
Reproducibility
Reproducibility of placebo analgesia: Effect of dispositional optimism, **146**, 194
Reserpine
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Rho kinase
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
Sensory symptoms
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms, **146**, 34
Serotonin
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Sex differences
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146**, 47
Sex hormones
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women, **146**, 47
Sickle cell disease
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91
SIP30
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Somatotopy
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146**, 99
Spinal cord
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain, **146**, 130
Spinal cord
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats, **146**, 105
Spinal nerve ligation
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain, **146**, 148
Spontaneous synaptic current
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146**, 214
Stereotactic electro-encephalography (SEEG)
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex, **146**, 99
Tactile allodynia
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia, **146**, 26
Topical ketamine
Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine, **146**, 18
Tractus solitarius
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Trait anxiety
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation, **146**, 283
Treatment outcomes
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study, **146**, 56
TREND study
Intrathecal glycine for pain and dystonia in complex regional pain syndrome, **146**, 199
Trigeminal
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
Trigeminal ganglion
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
Trigeminal neuralgia
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats, **146**, 114
TRPV1
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1, **146**, 301
TRPV1
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146**, 214
Ventromedial medulla
Inhibition of cardiac baroreflex by nociception: A key role for lateral paragigantocellular serotonergic cells, **146**, 315
Visceral and thermal hypersensitivity
Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome, **146**, 41
Voltage-gated channels
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis, **146**, 214
Weather
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea, **146**, 91

PAIN® 146 (2009) 336–338

PAIN®

www.elsevier.com/locate/pain

Contents to Volume 146 (2009)

Numbers 1–2 – November 2009

COMMENTARIES

Peripheral NMDA receptors revisited – Hope floats
S.M. Carlton (USA) 1
Is it possible to develop an animal model of fibromyalgia?
K.A. Sluka (USA) 3
Sensory profiles: A new strategy for selecting patients in treatment trials for neuropathic pain
G. Cruccu, A. Truini (Italy) 5
Pieces of a puzzle: Permeability, proinflammatory pathways and pain?
K. Bielefeldt, D. Levinthal (USA) 7
Balancing nociception in cycling females
K.J. Berkley (USA) 9
Were we wrong about the role of psychiatric comorbidities in primary headache?
T.A. Smitherman, D.B. Penzien (USA) 11
Psychophysical studies of imagined stimuli: Testing the limits of self-knowledge
B.B. Murinson, D. Yarnitsky (USA, Israel) 13

TOPICAL REVIEW

Parents of children and adolescents with chronic pain
T.M. Palermo, C. Eccleston (USA, UK) 15

RESEARCH PAPERS

Reduction of allodynia in patients with complex regional pain syndrome: A double-blind placebo-controlled trial of topical ketamine*
P.M. Finch, L. Knudsen, P.D. Drummond (Australia) 18
Biogenic amine depletion causes chronic muscular pain and tactile allodynia accompanied by depression: A putative animal model of fibromyalgia*
Y. Nagakura, T. Oe, T. Aoki, N. Matsuoka (Japan) 26
A cross-sectional cohort survey in 2100 patients with painful diabetic neuropathy and postherpetic neuralgia: Differences in demographic data and sensory symptoms*
R. Baron, T.R. Tölle, U. Gockel, M. Brosz, R. Freynhagen (Germany) 34
Intestinal membrane permeability and hypersensitivity in the irritable bowel syndrome*
Q. Zhou, B. Zhang, G. Nicholas Verne (USA) 41
Excitatory and inhibitory pain mechanisms during the menstrual cycle in healthy women*
Y. Tousignant-Laflamme, S. Marchand (Canada) 47
Do psychiatric comorbidities influence headache treatment outcomes? Results of a naturalistic longitudinal treatment study*
B.D. Heckman, K.A. Holroyd, L. Himawan, F.J. O'Donnell, G. Tietjen, C. Utley, M. Stillman (USA) 56
Pain sensitivity can be assessed by self-rating: Development and validation of the Pain Sensitivity Questionnaire*
R. Ruscheweyh, M. Marziniak, F. Stumpenhorst, J. Reinholz, S. Knecht (Germany) 65
Haeme oxygenase-1 overexpression via nAChRs and the transcription factor Nrf2 has antinociceptive effects in the formalin test
J. Egea, A.O. Rosa, S. Lorrio, L. del Barrio, A. Cuadrado, M.G. López (Spain) 75
Hypothalamic deep-brain stimulation modulates thermal sensitivity and pain thresholds in cluster headache
T.P. Jürgens, M. Leone, A. Proietti-Cecchini, V. Busch, E. Mea, G. Bussone, A. May (Germany, Italy) 84
Climatic and geographic temporal patterns of pain in the Multicenter Study of Hydroxyurea
W.R. Smith, R.L. Bauserman, S.K. Ballas, W.F. McCarthy, M.H. Steinberg, P.S. Swerdlow, M.A. Waclawiw, B.A. Barton, The Investigators of the Multicenter Study of Hydroxyurea in Sickle Cell Anemia (USA) 91
Somatotopic organization of pain responses to direct electrical stimulation of the human insular cortex
L. Mazzola, J. Isnard, R. Peyron, M. Guénot, F. Mauguière (France) 99
Upregulation of adrenomedullin in the spinal cord and dorsal root ganglia in the early phase of CFA-induced inflammation in rats
Y. Hong, Y. Liu, J.-G. Chabot, A. Fournier, R. Quirion (People's Republic of China, Canada) 105
Intratrigeminal ganglionic injection of LPA causes neuropathic pain-like behavior and demyelination in rats
D.K. Ahn, S.Y. Lee, S.R. Han, J.S. Ju, G.Y. Yang, M.K. Lee, D.H. Youn, Y.C. Bae (Republic of Korea) 114

doi:10.1016/S0304-3959(09)00603-4

Thrombin receptor: An endogenous inhibitor of inflammatory pain, activating opioid pathways
L. Martin, C. Augé, J. Boué, M.C. Buresi, K. Chapman, S. Asfaha, P. Andrade-Gordon, M. Steinhoff, N. Cenac, G. Dietrich, N. Vergnolle (France, Canada, USA, Germany) 121
Role of SIP30 in the development and maintenance of peripheral nerve injury-induced neuropathic pain
Y.-Q. Zhang, N. Guo, G. Peng, M. Han, J. Raincrow, C.-h. Chiu, L.M. Coolen, R.J. Wenthold, Z.-Q. Zhao, N. Jing, L. Yu (USA, China) 130
Supraspinal role of protein kinase C in oxaliplatin-induced neuropathy in rat
M. Norcini, E. Vivoli, N. Galeotti, E. Bianchi, A. Bartolini, C. Ghelardini (Italy) 141
Unity vs. diversity of neuropathic pain mechanisms: Allodynia and hyperalgesia in rats selected for heritable predisposition to spontaneous pain
S. Ziv-Sefer, P. Raber, S. Barbash, M. Devor (Israel) 148
Development and psychometric analysis of the PROMIS pain behavior item bank
D.A. Revicki, W.-H. Chen, N. Harnam, K.F. Cook, D. Amtmann, L.F. Callahan, M.P. Jensen, F.J. Keefe (USA) 158
Expressive dimensions of pain catastrophizing: An observational study in adolescents with chronic pain
T. Vervoort, L. Goubert, C. Eccleston, M. Vandenhende, O. Claeys, J. Clarke, G. Crombez (Belgium, The Netherlands, UK) 170
Latency to facial expression change following noxious stimulation in infants is dependent on postmenstrual age
R. Slater, A. Cantarella, J. Yoxen, D. Patten, H. Potts, J. Meek, M. Fitzgerald (UK) 177
NMDA NR2A and NR2B receptors in the rostral anterior cingulate cortex contribute to pain-related aversion in male rats
T.-T. Li, W.-H. Ren, X. Xiao, J. Nan, L.-Z. Cheng, X.-H. Zhang, Z.-Q. Zhao, Y.-Q. Zhang (China) 183
Reproducibility of placebo analgesia: Effect of dispositional optimism
D.L. Morton, A. Watson, W. El-Deredy, A.K.P. Jones (UK) 194
Intrathecal glycine for pain and dystonia in complex regional pain syndrome
A.G. Munts, A.A. van der Plas, J.H. Voormolen, J. Marinus, I.M. Teepe-Twiss, W. Onkenhout, J.M. van Gerven, J.J. van Hilten (The Netherlands) 199
Randomized controlled trial of an Internet-delivered family cognitive–behavioral therapy intervention for children and adolescents with chronic pain
T.M. Palermo, A.C. Wilson, M. Peters, A. Lewandowski, H. Somhegyi (USA) 205
Electrophysiological and morphological properties of neurons in the substantia gelatinosa of the mouse trigeminal subnucleus caudalis
A.J. Davies, R.A. North (UK) 214

LETTERS TO THE EDITOR

The fear-avoidance model of pain: We are not there yet. Comment on Wideman et al. "A prospective sequential analysis of the fear-avoidance model of pain" [Pain, 2009] and Nicholas "First things first: reduction in catastrophizing before fear of movement" [Pain, 2009]
J.W.S. Vlaeyen, G. Crombez, S.J. Linton (The Netherlands, Belgium, Sweden) 222
Wideman and Sullivan Response to Letter to Editor by Vlaeyen et al.
T.H. Wideman, M.J.L. Sullivan (Canada) 222

*A Commentary regarding this article can be found in this issue of *PAIN*®

Number 3 – 5 December 2009

EDITORIAL

The case for publishing 'negative' clinical trials
M.C. Rowbotham (USA) 225

COMMENTARIES

Nicotinic acetylcholine receptor agonism: Progress in the management of neuropathic pain?
S.H. Sindrup (Denmark) 227
Should we switch from analgesics to the concept of "Pain Modifying Analgesic Drugs (PMADs)" in osteoarthritis and rheumatic chronic pain conditions?
S. Perrot (France) 229
Are we getting anywhere in human pain genetics?
J.S. Mogil (Canada) 231
The importance of emotional processes in the modulation of pain
J.L. Rhudy (USA) 233

TOPICAL REVIEW

Hypnosis for chronic pain management: A new hope
M.P. Jensen (USA) 235

REVIEW AND RECOMMENDATIONS

Interpreting the clinical importance of group differences in chronic pain clinical trials: IMMPACT recommendations
R.H. Dworkin, D.C. Turk, M.P. McDermott, S. Peirce-Sandner, L.B. Burke, P. Cowan, J.T. Farrar, S. Hertz, S.N. Raja, B.A. Rappaport, C. Rauschkolb, C. Sampaio (USA, Portugal) 238

RESEARCH PAPERS

A randomized, double-blind, placebo-controlled trial evaluating the efficacy and safety of ABT-594 in patients with diabetic peripheral neuropathic pain*
M.C. Rowbotham, W.R. Duan, J. Thomas, W. Nothaft, M.-M. Backonja (USA) 245
Duloxetine, a centrally acting analgesic, in the treatment of patients with osteoarthritis knee pain: A 13-week, randomized, placebo-controlled trial*
A.S. Chappell, M.J. Ossanna, H. Liu-Seifert, S. Iyengar, V. Skljarevski, L.C. Li, R.M. Bennett, H. Collins (USA) 253
A systematic review of adverse events in placebo groups of anti-migraine clinical trials
M. Amanzio, L.L. Corazzini, L. Vase, F. Benedetti (Italy, Denmark) 261
Meta-analysis of the relevance of the *OPRM1* 118A>G genetic variant for pain treatment*
C. Walter, J. Lötsch (Germany) 270
Endogenous opioids may buffer effects of anger arousal on sensitivity to subsequent pain*
J.W. Burns, S. Bruehl, O.Y. Chung, E. Magid, M. Chont, J.K. Goodlad, W. Gilliam, J. Matsuura, K. Somar (USA) 276
Medical evaluation of children with chronic abdominal pain: Impact of diagnosis, physician practice orientation, and maternal trait anxiety on mothers' responses to the evaluation
S.E. Williams, C.A. Smith, S.P. Bruehl, J. Gigante, L.S. Walker (USA) 283
Baroreceptor reflex is suppressed in rats that develop hyperalgesia behavior after nerve injury
G. Gemes, M. Rigaud, C. Dean, F.A. Hopp, Q.H. Hogan, J. Seagard (USA, Austria) 293
A-kinase anchoring protein 150 controls protein kinase C-mediated phosphorylation and sensitization of TRPV1
N.A. Jeske, A.M. Patwardhan, N.B. Ruparel, A.N. Akopian, M.S. Shapiro, M.A. Henry (USA) 301
Perisurgical amitriptyline produces a preventive effect on afferent hypersensitivity following spared nerve injury
A. Arsenault, J. Sawynok (Canada) 308
Inhibition of cardiac baroreflex by noxious thermal stimuli: A key role for lateral paragigantocellular serotonergic cells
R. Gau, C. Sévoz-Couche, R. Laguzzi, M. Hamon, J.-F. Bernard (France) 315

LETTERS TO THE EDITOR

A response to McQuay and Moore editorial "Opioids in non-cancer pain – A critical read of Cicero et al."
T.J. Cicero, G. Wong, Y. Tian, M. Lynskey, A. Todorov, K. Isenberg (USA) 325
Response to Cicero et al.
H. McQuay, R.A. Moore (UK) 326

Author Index to Volume 146 327

Subject Index to Volume 146 331

Contents to Volume 146 336

*A Commentary regarding this article can be found in this issue of *PAIN*®